

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	10	brocade.as. and load adj balancing	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 08:13
S2	7	brocade.as. and load adj balancing	US-PGPUB; USPAT	OR	ON	2004/12/10 08:14
S3	336	brocade.as.	USPAT	OR	ON	2004/12/10 08:17
S4	0	brocade.as. and (alternat\$ adj path\$3 or multi-path\$ or multipath\$)	USPAT	OR	ON	2004/12/10 08:15
S5	0	brocade.as. and (alternat\$ adj3 path\$3 or multi-path\$ or multipath\$)	USPAT	OR	ON	2004/12/10 08:15
S6	0	brocade.as. and redundan\$ adj3 switch\$	USPAT	OR	ON	2004/12/10 08:16
S7	8	"brocade communications".as.	USPAT	OR	ON	2004/12/10 08:25
S10	6	"brocade communications".as. and failover	US-PGPUB; USPAT	OR	ON	2004/12/10 08:27
S11	8	"brocade communications".as. and high adj availabilit\$	US-PGPUB; USPAT	OR	ON	2004/12/10 08:27
S12	2	S11 not S10	US-PGPUB; USPAT	OR	ON	2004/12/10 08:45
S13	1	"6438128".pn.	US-PGPUB; USPAT	OR	ON	2004/12/10 08:46
S14	2	("6199137" "6243787").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 08:46
S15	4	("5440545" "5659758" "5689713" "6038629").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 08:55
S18	4	(switch\$3 or router\$1) with load adj3 balanc\$3 same (failover or fail adj over or switch\$3 adj3 over or redundan\$) and (multi-path\$ or multi adj3 path\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 09:20
S19	0	second adj2 switch\$3 with load adj3 balanc\$3 same (failover or fail adj over or switch\$3 adj3 over or redundan\$) and (multi-path\$ or multi adj3 path\$3 or multipath\$)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 09:34
S20	1	"20030021223".pn. and fifth	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 15:06

S26	1	"20030140124".pn. and load adj balanc\$ and fail-over and switch\$3 and port\$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:10
S27	1	"6687758".pn. and load adj balanc\$ and fail-over and switch\$3 and port\$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:14
S28	36	fabric adj3 switch\$3 and port\$1 with (fail-over or fail\$3 adj over or failover) and identifier\$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:16
S29	13	fabric adj3 switch\$3 and port\$1 with (fail-over or fail\$3 adj over or failover) and identifier\$1	USPAT	OR	ON	2004/12/10 11:15
S30	0	"brocade communications".as. and port\$1 and failover and address and identif\$	USPAT	OR	ON	2004/12/10 11:17
S31	0	"brocade communications".as. and port\$1 and failover and address	USPAT	OR	ON	2004/12/10 11:17
S32	3	address\$3 adj3 map\$4 and alternat\$3 adj3 port\$1 and fabric adj switch	USPAT	OR	ON	2004/12/10 11:27
S33	3	address\$3 adj3 map\$4 and alternat\$3 adj3 port\$1 and fabric adj switch and table	USPAT	OR	ON	2004/12/10 11:57
S35	3	S33 and rout\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:57
S36	0	address\$3 and map\$4 and alternat\$3 adj3 port\$1 and fabric adj switch and table and ("6714516".pn. or "6389493".pn. or "6359881".pn. or "6452942". pn. or "6597689".pn. or "6580727".pn. or "6529479".pn.)	USPAT	OR	ON	2004/12/10 11:59
S37	1	address\$3 and map\$4 and fail\$5 with port\$1 and fabric adj switch and table and ("6714516".pn. or "6389493".pn. or "6359881".pn. or "6452942".pn. or "6597689". pn. or "6580727".pn. or "6529479".pn.)	USPAT	OR	ON	2004/12/10 12:02
S38	39	address\$3 and fail\$5 with port\$1 and fabric adj switch and table	USPAT	OR	ON	2004/12/10 12:08

S39	38	S38 and identif\$	USPAT	OR	ON	2004/12/10 12:05
S40	2	S39 and fail adj over	USPAT	OR	ON	2004/12/10 12:03
S41	38	S38 and (id\$1 or identif\$)	USPAT	OR	ON	2004/12/10 12:07
S42	0	(fabric and switch and (failover or fail adj over or fail-over) and port\$).ti.	USPAT	OR	ON	2004/12/10 12:09
S43	0	(fabric and switch and (failover or fail adj over or fail-over) and port\$).ab.	USPAT	OR	ON	2004/12/10 12:09
S44	10	(fabric and switch and fail\$ and port\$).ab.	USPAT	OR	ON	2004/12/10 13:03
S45	2	(fabric adj3 switch and fail\$ and port\$).ab.	USPAT	OR	ON	2004/12/10 12:10
S46	29	fabric near2 switch and fail\$ near5 port\$ and SAN	USPAT	OR	ON	2004/12/10 13:04
S47	25	S46 and address\$ and identif\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 13:05
S48	16	S47 and adapter\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 13:05
S49	16	S48 and rout\$3 and interfac\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 13:56
S50	2	"6343324".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 13:32
S51	61	wwn same hba and switch	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 13:33
S52	14	wwn same hba and switch	USPAT	OR	ON	2004/12/10 13:33

S53	45	("5136498" "5151987" "5202822" "5206946" "5237695" "5274783" "5287537" "5325527" "5333277" "5388243" "5463772" "5471634" "5491812" "5504757" "5524175" "5528765" "5548731" "5548783" "5561812" "5566331" "5574861" "5574862" "5596723" "5613160" "5640541" "5664221" "5787019" "5812751" "5819054" "5892955" "5923850" "5925119" "5941972" "5991813" "5996024" "6003065" "6041381" "6178173" "6188997" "6263445" "6363497" "6449733" "6496942" "6523131" "6574753").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 13:53
S54	7	S48 and rout\$3 and interfac\$ and wwn	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 14:13
S55	1	"6421711".pn. and failover	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 14:40
S56	0	"6421711".pn. and failover with port\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 14:13
S61	1	"6421711".pn. and alternat\$ with path	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 14:46
S65	0	"6421711".pn. and "Fig 3"	USPAT	OR	ON	2004/12/10 14:47
S66	1	"20030021223".pn. and node	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/11 15:41
S67	118	370/400,401,389,392.ccls. and (first adj3 port) with switch and (second adj4 port) with switch and destination adj3 address	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 16:21

S68	55	S67 and \$2mapping	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 16:21
S70	27	S68 and failure	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 17:20
S71	3	S70 and (failover or fail-over or fail adj3 over)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 16:35
S74	2	vu.xp. and failover and port\$1 and switch	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 17:23
S75	62	san and port\$1 with fail\$5 and switch\$1 and (failover or fail-over or fail adj3 over) and destination adj3 address\$2	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 17:39
S76	23	S75 and "370"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 17:37
S77	8	S75 and "370"/\$.ccls.	USPAT	OR	ON	2004/12/10 17:26
S78	15	S75 and "370"/\$.ccls.	US-PGPUB	OR	ON	2004/12/10 17:37
S79	0	san and port\$1 with fail\$5 and switch\$1 and (failover or fail-over or fail adj3 over) and destination adj3 address\$2 and "6308282".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 17:39
S80	0	port\$1 with fail\$5 and switch\$1 and (failover or fail-over or fail adj3 over) and destination adj3 address\$2 and "6308282".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 19:55
S81	0	port\$1 with fail\$5 and switch\$1 and (failover or fail-over or fail adj3 over) and address\$2 and "6308282".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 17:39
S82	0	port\$1 and fail\$5 and switch\$1 and (failover or fail-over or fail adj3 over) and address\$2 and "6308282".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 17:40
S83	1	port\$1 and fail\$5 and switch\$1 and address\$2 and "6308282".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 17:40
S84	1	port\$1 and fail\$5 and switch\$1 and address\$2 and "6308282".pn. and alternat\$	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 17:49
S85	191	first adj3 node with failover second adj3 node and fabric adj3 switch	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 18:15

S86	102	S85 and "370".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 17:50
S87	45	S85 and "370".clas.	USPAT	OR	ON	2004/12/10 17:58
S88	11	S87 and san	USPAT	OR	ON	2004/12/10 17:58
S89	5	S88 and destination adj address	USPAT	OR	ON	2004/12/10 17:59
S90	5	S89 and map\$5	USPAT	OR	ON	2004/12/10 17:59
S91	5	S88 and destin\$5 adj5 address	USPAT	OR	ON	2004/12/10 17:57
S92	57	S85 and "370".clas.	US-PGPUB	OR	ON	2004/12/10 17:58
S93	18	S92 and san	US-PGPUB	OR	ON	2004/12/10 17:58
S94	19	S87 and destination adj address	USPAT	OR	ON	2004/12/10 18:08
S95	12	S94 and map\$5	USPAT	OR	ON	2004/12/10 18:00
S96	7	S95 not S91	USPAT	OR	ON	2004/12/10 18:00
S97	7	S94 not (S96 or S91)	USPAT	OR	ON	2004/12/10 18:09
S98	7	S94 not (S95 or S91)	USPAT	OR	ON	2004/12/10 18:11
S99	0	veritas.as. and "370".clas.	USPAT	OR	ON	2004/12/10 18:11
S100	41	veritas.as.	USPAT	OR	ON	2004/12/10 18:11
S101	3	veritas.as. and failover	USPAT	OR	ON	2004/12/10 19:54
S102	3	veritas.as. and fail adj over	USPAT	OR	ON	2004/12/10 18:12
S103	2	S102 not S101	USPAT	OR	ON	2004/12/10 18:12
S104	5	S102 or S101	USPAT	OR	ON	2004/12/10 18:14
S105	0	S104 and fail\$3 with port\$1	USPAT	OR	ON	2004/12/10 18:12
S106	64	"370".clas. and first adj3 node with (failover or fail-over or fail adj over) second adj3 node and fabric adj3 switch	USPAT	OR	ON	2004/12/10 18:16
S107	23	S106 and destin\$ adj address	USPAT	OR	ON	2004/12/10 18:28
S108	11	S107 and map\$5 with port\$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 18:19
S109	7	S106 and destin\$ adj address and SAN	USPAT	OR	ON	2004/12/10 18:29

S11 0	0	(stand-by or standby or stand adj by) with failover same switch and destination adj2 address and mapp\$3	USPAT	OR	ON	2004/12/10 18:31
S11 1	5	(stand-by or standby or stand adj by) with failover same switch and destination adj2 address	USPAT	OR	ON	2004/12/10 18:34
S11 2	2	S111 and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 18:31
S11 3	3	secondary with failover same switch and destination adj2 address	USPAT	OR	ON	2004/12/10 18:43
S11 4	42	virtual adj ip and cluster\$3 and (fail adj over or fail-over or failover)	USPAT	OR	ON	2004/12/10 18:44
S11 5	15	S114 and "370".clas.	USPAT	OR	ON	2004/12/10 18:44
S11 6	34	sun.as. and cluster\$ and (failover or fail-over or fail adj3 over)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 19:56
S11 7	19	sun.as. and cluster\$ and (failover or fail-over or fail adj3 over)	USPAT	OR	ON	2004/12/11 12:06
S11 8	0	failover with second adj node same switch and SAN	USPAT	OR	ON	2004/12/11 12:09
S11 9	1	(failover or fail adj over or fail-over or switch adj over) with second adj node same switch and SAN	USPAT	OR	ON	2004/12/11 12:09
S12 0	0	(failover or fail adj over or fail-over or switch adj over) with second adj node and fabric near3 switch and SAN	USPAT	OR	ON	2004/12/11 12:10
S12 1	0	(failover or fail adj over or fail-over or switch adj over) with second adj node and fabric near3 switch	USPAT	OR	ON	2004/12/11 12:10
S12 2	5	(failover or fail adj over or fail-over or switch adj over) with second adj node and switch	USPAT	OR	ON	2004/12/11 12:10
S12 3	4	S122 not S119	USPAT	OR	ON	2004/12/11 12:12
S12 4	8	failover.ti. and "370".clas.	USPAT	OR	ON	2004/12/11 12:15
S12 5	1	failover and "6704278".pn. and address\$ and rout\$3	USPAT	OR	ON	2004/12/11 12:16

S12 6	1	S125 and switch\$	USPAT	OR	ON	2004/12/11 12:16
S12 7	1	S126 and port\$	USPAT	OR	ON	2004/12/11 12:59
S12 8	1	S127 and destination near3 address	USPAT	OR	ON	2004/12/11 13:00
S12 9	1	S128 and switch	USPAT	OR	ON	2004/12/11 13:20
S13 0	0	S129 and map\$4	USPAT	OR	ON	2004/12/11 13:01
S13 2	1	S129 and (fail or fail\$5)	USPAT	OR	ON	2004/12/11 13:21
S13 3	1	"20030021223".pn. and expand\$ adj port\$3	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/11 16:34
S13 4	1	fabric near2 switch\$3 same expand\$3 and "brocade communications".as.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/11 16:36
S13 5	4	"fabric switch".ti. and "370".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/11 16:36
S13 6	2	"fabric switch".ti. and "370".clas.	USPAT	OR	ON	2004/12/11 16:54
S13 7	1	"6724759".pn. and rout\$3 near3 tables	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 17:13
S13 8	0	infinitive adj2 band with switch\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 17:14
S13 9	0	infinitive adj2 band with switch\$3	US-PGPUB; USPAT	OR	ON	2004/12/11 17:14
S14 0	0	infiniti\$3 adj3 band with switch\$3	US-PGPUB; USPAT	OR	ON	2004/12/11 17:14
S14 1	0	infiniti\$3 adj3 band same switch\$3	US-PGPUB; USPAT	OR	ON	2004/12/11 17:14
S14 2	0	infiniti\$3 adj3 band and switch\$3	US-PGPUB; USPAT	OR	ON	2004/12/11 17:14
S14 3	0	infinitiband with switch\$3	US-PGPUB; USPAT	OR	ON	2004/12/11 17:15
S14 4	262	infiniband with switch\$3	US-PGPUB; USPAT	OR	ON	2004/12/11 17:15
S14 5	41	infiniband with switch\$3	USPAT	OR	ON	2004/12/11 17:15

S14 6	4	infiniband with switch\$3 and failover	USPAT	OR	ON	2004/12/11 17:35
S14 7	2	("20010013076" "20020099881").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/11 17:19
S14 8	27	infiniband with switch\$3 and failover	US-PGPUB	OR	ON	2004/12/11 17:40
S14 9	27	S148 not ibm.as.	US-PGPUB	OR	ON	2004/12/11 17:35
S15 0	14	infiniband with switch\$3 and failover and rout\$3 and table\$1	US-PGPUB	OR	ON	2004/12/11 17:40
S15 1	12	(infiniband with switch\$3 and failover and rout\$3 and table\$1) not "international business".as.	US-PGPUB	OR	ON	2004/12/11 17:41
S15 2	1	(infiniband with switch\$3 and failover and rout\$3 and table\$1) not "international business".as. and "20030097481".pn.	US-PGPUB	OR	ON	2004/12/11 17:41
S15 3	0	"6704278".pn. and fabric	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/12 10:44
S15 4	0	"6704278".pn. and rout\$3 with table\$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/12 10:45
S15 5	0	"6704278".pn. and table\$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/12 11:57
S15 6	2	"6704278".pn. and program	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/12 11:57
S15 7	2	"6704278".pn. and program and computer	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/12 11:57